GYROPALETTE® RANGE

The world reference of automated riddling

Single cage Gyropalette®



RIDDLING CAPACITY:

25 000 to 30 000

standard 75 cl bottle per year.

STRONG POINTS



Rotation by 1/16th of a turn.



The chassis stability and low rotation and tilt amplitudes.



Riddling cycles can be adapted per number of days.











CHARACTERISTICS

COMPACT

The chassis does not protrude beyond the space occupied by the rotation of the crate. It's "V" shape allows it to be installed in a herringbone pattern in narrow cellars. Due to its tilting system, the cage is placed well back in the loading position, facilitating easy handling.

SOLID

Chassis and cages are mechanically welded made from hot galvanized steel.

♦ VERSATILE

Riddling of 504 metal crates by forks or TSR® containers handled by hooks.

LOW CONSUMPTION

Low motor energy consumption due to great mechanical performance of rotation and tilt movements: 2 x 0,37 kW motors.

EQUIPMENT OPTIONS



Cages

Choose the cages adapted to your cellar and your process (open cage, cage with door)



Vibration

The vibration option allows to optimize your riddling cycle with a benefit effect in the evolution of the deposit located in the bottle.



Transport bar

Before all riddling process, do not forget to remove the transport bar located on the machine.

CONTROL

The riddling controler ACAI V4 allows to drive one or severals Gyropalette®.

Available in standard or multigroup

Remote supervision

Exist in coffret or in cabinet shape





Create your own riddling programs with the Gyroprog® software (Windows® compatible). Once created, transfer the riddling program via a USB dongle in the Gyropalette® controller.



DIMENSIONS

1307 1717 2407 1160 1800 Loading/unloading by forklift with a minimum capacity of 1.200 kg

