INSULATED CONICAL TANK WITH COOLING JACKET

STANDARD EQUIPMENT

- cone 60°
- pressure valve, set up to 2.5 bar
- bottom outlet DN40
- upper outlet DN40
- thermometer

Destiller - Anna i Seweryn Fabijaniak
ul. Grunwaldzka 37
37-560 Pruchnik
Tel.: +48 660 143 042
E-mail: biuro@destiller.pl

- sample tap DN15
- spray ball with tube DN25 and blind nut
- manhole Ø400 mm

ADDITIONAL EQUIPMENT

- ball or butterfly valves – DN, TC
- blind nut with chain
- lower tap ¾’’
- safety valve
- level gauge DN15 - Ø16 mm (closed type)
- lifting lugs
- type plate
- oval manway 345 x 455 mm (from 500 L)
- adjustable feet

VOLUME IN LITERS	DIMENSIONS IN MILLIMETERS				CODE
	D	**h1**	**h2**	**H**	
200	636	625	800	1750	20KPB200
300	636	1000	800	2100	20KPB300
400	636	1250	800	2400	20KPB400
500	795	1000	950	2250	20KPB500
600	795	1250	950	2500	20KPB600
800	795	1500	1100	2750	20KPB800
1100	955	1500	1100	2900	20KPB1100

Destiller - Anna i Seweryn Fabijaniak
ul. Grunwaldzka 37
37-560 Pruchnik
Tel.: +48 660 143 042
E-mail: biuro@destiller.pl

GALERIE



Destiller - Anna i Seweryn Fabijaniak
ul. Grunwaldzka 37
37-560 Pruchnik
Tel.: +48 660 143 042
E-mail: biuro@destiller.pl

Godziny pracy
Poniedziałek - piątek 8:00 - 18:00
www.destiller.pl