



## INVERTER IN STAINLESS STEEL HOUSING, VA



SCHNEIDER frequency converter in a stainless steel control cabinet for controlling existing machines. Stepless speed control for existing machines such as centrifugal pumps, eccentric screw pumps, mixers, dust collectors, receiving tanks, ...

Device features:

- operationally safe
- reliable



- versatile

Stainless steel housing with mains filter and shielded cable, for wall mounting or as a mobile device - with carrying handle.

Motors: 1.5 kW; 2.2 kW; 3.0 kW; 4.0 kW; 5.5 kW; 7.5 kW.

Functions of the frequency converter:

- On/Off
- Forward/reverse
- Slow/fast

Standard equipment:

Main switch

10 m input cable, 5 m output cable with CEE plug + connector.

The inverter can be additionally equipped with:

- Radio remote control - operation using a handheld transmitter
- Operation via the VarioApp
- VA carrier frame (up to 4 kW) with 2 cable holders
- VA carrier frame (5.5 + 7.5 kW) with 2 cable holders
- Carrier frames for 11 kW and 15 kW on request
- Harting plug connector as a connection for dry-running protection
- Harting plug connector as a connection for connecting a pressure sensor



DESTILLER

Generated on: 2025-04-25 23:05

## GALLERY



DESTILLER

**Destiller - Anna i Seweryn Fabijaniak**  
ul. Grunwaldzka 37  
37-560 Pruchnik  
Tel.: +48 660 143 042  
E-mail: [biuro@destiller.pl](mailto:biuro@destiller.pl)

Godziny pracy  
Poniedziałek - piątek 8:00 - 18:00  
[www.destiller.pl](http://www.destiller.pl)